

SANI CLEAN

Disinfectant – Deodorizer – Cleaner – Fungicide – Mildewstat – Detergent

For use in hospitals, nursing homes, whirlpools, homes, hotels, motels, institutional, industrial, schools, poultry/turkey farms, restaurants, food handling and processing areas, federally inspected meat and poultry plants, bars, institutional kitchens, and food processing plants.

ACTIVE INGREDIENTS:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Benzyl Ammonium Chloride 1.68%
Alkyl (68% C12, 32% C14)
Dimethyl Ethylbenzyl Ammonium Chloride..... 1.68%

OTHER INGREDIENTS: 96.64%

TOTAL:..... 100.00%

EPA REG. NO. 10324-57-63838

EPA EST. NO. 63838-CA-01

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip back and forth several times. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

For chemical emergencies, call ChemTrec 1-800-424-9300 24 hours a day.

DOT: UN1903, Disinfectants Liquid Corrosive, NOS (Quaternary Ammonium Compound), 8, PGII

ENVIRO TECH CHEMICAL SERVICES, INC.

500 Winmoore Way, Modesto, CA 95358

209-581-9576 or www.envirotech.com

LOT #:
E-15

Net Contents: 55 Gallons

This product is for use on hard, non-porous surfaces in hospitals, nursing homes, medical and dental offices and clinics, healthcare facilities, physician offices, operating rooms/theaters, radiology rooms, isolation wards, quarantine areas, hospices, medical research facilities, restaurants, bars, kitchens, taverns, cafeterias, institutional kitchens, fast food operations, food storage areas, institutional facilities, laboratories, factories, businesses, office buildings, restrooms, hotels, motels, transportation terminals, and maintenance vehicles.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Households, Schools, Restaurants, Food Services): This product kills the following bacteria in 10 minutes at 3 oz. per gal. of water (780 ppm active) and 5% soil on hard, non-porous surfaces: *Corynebacterium ammoniagenes*, *Bordetella bronchiseptica*, *Enterobacteriaceae*, *Enterobacter aerogenes*, *Enterococcus faecalis*, *Enterococcus faecalis* Vancomycin Resistant, *Escherichia coli*, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Shigella dysenteriae*, *Serratia marcescens*, *Staphylococcus aureus*, *Staphylococcus aureus* (MRSA), *Staphylococcus aureus* (VISA), *Streptococcus salivarius*.

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 3 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus (H3N2), Canine Adenovirus, Canine Distemper Virus, Canine Parvovirus**, Feline Calicivirus, Feline Leukemia Virus, Feline Panleukopenia Virus, Feline Picornavirus, Feline Rhinotracheitis Virus, Infectious Canine Hepatitis Virus, Newcastle Disease Virus, Rabies virus.

** Indicates that a dilution of 9 oz. per gal. of water is required for this claim.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 3 oz. per gal. of water (780 ppm active) and 5% soil on hard, non-porous surfaces: *Trichophyton mentagrophytes* (Athlete's foot fungus) (a cause of Ringworm).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

This product is not for use on medical device surfaces.

Use	Dilution	Contact Time
For Hospital or Medical Environment claims	3 oz. /gal. water	10 minutes
For Animal Virucidal* claims	3 oz. /gal. water	10 minutes
For Animal Virucidal** claims	9 oz. /gal. water	10 minutes
For Fungicidal claims	3 oz. /gal. water	10 minutes
For Mold and Mildew claims	3 oz. /gal. water	10 minutes

FOR USE AS A GENERAL, HOSPITAL DISINFECTANT: 1. Pre-clean heavily soiled areas. 2. Apply use solution of 3 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Wipe dry with a clean cloth. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty.

DISINFECTION/FUNGICIDE OF HARD, NON-POROUS SURFACES IN WHIRLPOOL UNITS: After using the whirlpool unit, drain unit. Prepare a use solution of 3 oz. of the product per gal. of water to just cover the intake valve. Briefly start the pump to circulate the solution. Turn off the pump. Wash down the unit sides, seat of the chair lift and any other related equipment with a clean swab, brush or sponge. Treated surfaces must remain wet for 10 minutes. After the unit has been thoroughly disinfected, drain the solution from the unit and rinse disinfected surfaces with fresh water. Wipe dry with a clean sponge or cloth or allow to air dry. Repeat for heavy soiled units.

NON-ACID TOILET BOWL DISINFECTANT DIRECTIONS

Remove heavy soil prior to disinfection.

From a Concentrate: Add 3 oz. of this product directly into the water in the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a toilet brush/mop, cloth, or sponge. Allow solution to stand for 10 minutes and flush.

FOR USE AS A GENERAL CLEANER AND/OR DEODORIZER: Apply use solution of 2 oz. of this product per gal. of water to hard, non-porous surfaces. Wipe up excess liquid with a paper towel or allow to air dry. For heavy-duty use, add 4 oz. of this product per gal. of water to clean hard, non-porous surfaces.

TO KILL FUNGI: Pre-clean heavily soiled areas. Prepare use solution by adding 3 oz. of this product per gal. of water. Apply use solution to hard, non-porous surfaces. Allow surface to remain wet for 10 minutes. Wipe surfaces (and let air dry).

TO CONTROL MOLD/MILDEW: Controls and prevents the growth of mold and mildew (*Aspergillus niger*). Pre-clean heavily soiled areas. Prepare use solution by adding 3 oz. of this product per gal. of water. Apply use solution to pre-cleaned hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

FOR USE AS A DISINFECTANT, CLEANER IN FOOD PROCESSING PLANTS/PREMISES, FOOD SERVICE ESTABLISHMENTS, FOOD STORAGE AREAS AND EQUIPMENT: 1. Pre-clean heavily soiled areas. 2. Apply use solution of 3 oz. of this product per gal. of water to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Wipe dry with a clean cloth. 5. When disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water. This product must not be used to clean the following surfaces: utensils, glassware, dishes or interior surfaces of processing equipment. 6. Prepare a fresh solution daily or when visibly dirty.

ANIMAL PREMISES: Prior to use of this product, remove all animals and feeds from areas to be treated, animal transportation vehicles, and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE*: Prepare a use solution of 3 oz. of this product per gal. of water (780 ppm) for effectiveness against designated animal viruses on the label.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE:** Prepare a use solution of 9 oz. of this product per gal. of water (2250 ppm) for effectiveness against designated animal viruses on the label.

Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, by immersion, mechanical spray device, hand pump, coarse pump or trigger spray device. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

VEHICLES: Clean all vehicles including mats, crates, cabs, and wheels with water and this product. Use 3 oz. of this product per gal. of water. Apply use solution to treat all vehicles. Leave treated surfaces wet for 10 minutes or more. Allow to air dry.