



PERASAN® MP-2 (Antimicrobial for FDA Uses)

Applications	Concentrated food grade sanitizer for use directly in or on food products in accordance with 21 CFR 173.315 and 21 CFR 173.370. Enviro Tech's peracetic acid products are designed to decrease the incidence of pathogenic organisms in or on food, and/or help reduce the number of decay or food spoilage organisms normally present in the processing of meat, dairy, poultry, seafood and vegetable food items. PERASAN® products are custom manufactured and labeled specifically for our customers and are not available through other channels of distribution. Please enquire with your Enviro Tech specialists to see how our highly sophisticated manufacturing and technical capabilities may help your company.																
Properties	PERASAN® MP-2 has a high oxidation potential and is very reactive. It exhibits excellent bactericidal and fungicidal activity against a wide range of microorganisms in cold or warm water. Product is stable for a minimum of 1 year under normal conditions. It ultimately degrades to oxygen, water, and acetic acid (vinegar).																
Chemical Composition	PERASAN® MP-2 is an equilibrium mixture of peracetic acid, hydrogen peroxide, acetic acid, proprietary ingredients, and water.																
Physical Properties	<table><tr><td>Peracetic acid (% wt.)</td><td>14.7-15.7</td></tr><tr><td>H₂O₂ (% wt.)</td><td>5.0-6.0</td></tr><tr><td>Acetic acid (% wt.)</td><td>45-47</td></tr><tr><td>Density 20°C (68°F), (g/ml)</td><td>1.11</td></tr><tr><td>Vapor Pressure 20°C (68°F), (mbar)</td><td>25</td></tr><tr><td>pH (190 ppm as PAA, in tap water), 20°C (68 °F)</td><td>4.0-5.5</td></tr><tr><td>Flash Point (DIN 51584)</td><td>> 82° C (180° F)</td></tr><tr><td>Freezing Point</td><td>< -23° C (-10° F)</td></tr></table>	Peracetic acid (% wt.)	14.7-15.7	H ₂ O ₂ (% wt.)	5.0-6.0	Acetic acid (% wt.)	45-47	Density 20°C (68°F), (g/ml)	1.11	Vapor Pressure 20°C (68°F), (mbar)	25	pH (190 ppm as PAA, in tap water), 20°C (68 °F)	4.0-5.5	Flash Point (DIN 51584)	> 82° C (180° F)	Freezing Point	< -23° C (-10° F)
Peracetic acid (% wt.)	14.7-15.7																
H ₂ O ₂ (% wt.)	5.0-6.0																
Acetic acid (% wt.)	45-47																
Density 20°C (68°F), (g/ml)	1.11																
Vapor Pressure 20°C (68°F), (mbar)	25																
pH (190 ppm as PAA, in tap water), 20°C (68 °F)	4.0-5.5																
Flash Point (DIN 51584)	> 82° C (180° F)																
Freezing Point	< -23° C (-10° F)																
Appearance	Clear, colorless liquid (pungent vinegar-like odor)																
Storage	The PERASAN® MP-2 container must be stored in an upright position. The storage area should be well ventilated and shaded from sunlight as well as protected from sources of radiant heat. Contamination of the product, especially heavy metal ions and alkali, must be avoided.																
Shelf Life	At least one year without notable loss of active oxygen if stored properly.																
Packaging	5 gal (45 lb), 53 gal (490 lb), 220 gal (2035 lb), 300 gal (2775 lb). Available in HDPE plastic pails, drums, and totes.																
Transport (DOT)	Organic Peroxide, Type F, Liquid (peroxyacetic acid), 5.2, UN 3109, PGII																

ENVIRO TECH CHEMICAL SERVICES, INC. 500 Winmoore Way, Modesto, CA 95358 (209) 581-9576
All information and statements contained herein are believed to be accurate at the time of publication, but Enviro Tech Chemical Services, Inc. makes no warranty with respect thereto, including but not limited to any results to be obtained or the infringement of any proprietary rights. Use or application of such information or statements is at user's sole discretion, without any liability on the part of Enviro Tech. Nothing herein shall be construed as a license or recommendation for use which infringes upon any proprietary rights. Use of this product shall be the sole responsibility of user, and Enviro Tech shall not be liable in any way for said use, other than reimbursement for the actual cost of product.

