

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

DANGER. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS

**EYE CONTACT MAY CAUSE LOSS OF VISION
IRRITATING TO NOSE AND THROAT
MAY BE FATAL IF INHALED**

HARMFUL IF ABSORBED THROUGH SKIN OR SWALLOWED

Do not breathe dust or spray mist. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear goggles with side-shields, face shield, or safety glasses; protective clothing and rubber gloves. Wear a mask or pesticide respirator jointly approved by Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

CHEMICAL AND PHYSICAL HAZARDS

Strong oxidizer, mix with water only. Reaction with combustible organic materials, bases, moisture or with oxidizers may generate heat, hazardous gases and, possibly, fire or explosion. Do not add to dispensers or other equipment that is not dry and clean of any chemical remnants. Does not burn, but will decompose, from about 320°F (160°C), releasing toxic gases. Avoid comminution and dusting.

**DO NOT SMOKE, DRINK OR EAT WHEN HANDLING
KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE
DO NOT SHIP WITH FOODS, FEEDS, DRUGS OR CLOTHING.**

WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with label directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal condition, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.

Manufactured By:
Enviro Tech Chemical Services, Inc.
500 Winmoore Way
Modesto, CA 95358

NET CONTENTS: 50 LBS

27-JJ100 v2



BROMO-CHLORO-DIMETHYLHYDANTOIN

A MICROBICIDAL BACTERICIDE, FUNGICIDE, ALGAECIDE AND SLIMICIDE, FOR TREATING INDUSTRIAL RECIRCULATING COOLING WATER, ORNAMENTAL FOUNTAINS AND AIR CONDITIONER CONDENSATE.

Active Ingredients: Bromochloro-5,5-dimethylhydantoin 98%

Inert Ingredients: 2%
TOTAL 100%

**KEEP OUT OF REACH OF CHILDREN
DANGER
CORROSIVE AND STRONG OXIDIZER**

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call poison control center, or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
NOTE TO PHYSICIAN	
“Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.”	

**USE WITH ADEQUATE VENTILATION
WASH THOROUGHLY AFTER HANDLING**
See side panels for additional precautionary statements
24 hr Emergency ChemTel Number: 1-800-255-3924

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INDUSTRIAL RECIRCULATING COOLING WATER SYSTEMS

Used effectively at dosages recommended to achieve exposures to one part per million (ppm) of ‘active’ residual bromine to control algal, bacterial and fungal slimes in industrial cooling towers; influent water systems, e.g. flow-through filters and lagoons, etc; heat exchange water systems; industrial water scrubbing systems; brewery and canning pasteurizers and industrial air-washing systems equipped with a mist eliminator.

Dosage rates:

Initial dose: When noticeably fouled, add 2-6 lbs./10,000 gallons of water contained in the system. Repeat initial dosage until one ppm of ‘active’ residual bromine is established for at least 4 hours.

Subsequent dose: When microbial control is evident, add 1-3 lbs. / 10,000 gallons of water contained in the system. Repeat as needed to maintain one ppm of ‘active’ residual bromine for at least 4 hours.

ORNAMENTAL FOUNTAINS

Dosage Rates: See dosage rates for industrial recirculating cooling water systems.

AIR CONDITIONER CONDENSATE

Place tablet into condensate line or floatation device in the reservoir. Maintain 1-4 ppm active bromine. Check once every month or more often as required. The life of the tablet(s) will vary depending upon atmospheric conditions and air temperature requirements. Do not place tablets directly onto metal surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store in a dark, cool [below 86°F (30°C)], dry, well-ventilated area, in well-closed original containers, away from energy sources, combustible organic materials, oxidizers, strong bases and moisture. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. To handle spill or emergency see “Spills” and “In case of Fire” instructions below.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous, improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING AND DISPOSAL: PLASTIC CONTAINERS:

Nonrefillable container. Do not use this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Clean container promptly after emptying. Offer for recycling if available. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

SPILLS

When handling or dealing with spills, use impact resistant goggles with side-shields, or face shield; body-covering clothes, including impervious rubber or plastic gloves and boots; use a dust respirator if dusting occurs. Sweep up dry spills and dispose of as described for pesticide disposal. If drum contents are contaminated or decomposing, do not reseal container. Isolate unsealed drum in the open or in a well-ventilated area; flood with large volumes of water if necessary.

IN CASE OF FIRE

Do not use ammonium phosphate extinguisher near water and BCDMH TABS. Hazardous reactions may occur.